

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:ssptacrs1614

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\*\*\*\*\* Welcome to STN International \*\*\*\*\*

NEWS 1 Web Page for STN Seminar Schedule - N. America  
NEWS 2 DEC 01 ChemPort single article sales feature unavailable  
NEWS 3 APR 03 CAS coverage of exemplified prophetic substances  
enhanced  
NEWS 4 APR 07 STN is raising the limits on saved answers  
NEWS 5 APR 24 CA/CAPlus now has more comprehensive patent assignee  
information  
NEWS 6 APR 26 USPATFULL and USPAT2 enhanced with patent  
assignment/reassignment information  
NEWS 7 APR 28 CAS patent authority coverage expanded  
NEWS 8 APR 28 ENCOMPLIT/ENCOMPLIT2 search fields enhanced  
NEWS 9 APR 28 Limits doubled for structure searching in CAS  
REGISTRY  
NEWS 10 MAY 08 STN Express, Version 8.4, now available  
NEWS 11 MAY 11 STN on the Web enhanced  
NEWS 12 MAY 11 BEILSTEIN substance information now available on  
STN Easy  
NEWS 13 MAY 14 DGENE, PCTGEN and USGENE enhanced with increased  
limits for exact sequence match searches and  
introduction of free HIT display format  
NEWS 14 MAY 15 INPADOCDB and INPAFAMDB enhanced with Chinese legal  
status data  
NEWS 15 MAY 28 CAS databases on STN enhanced with NANO super role in  
records back to 1992  
NEWS 16 JUN 01 CAS REGISTRY Source of Registration (SR) searching  
enhanced on STN  
  
NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,  
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.  
  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN customer  
agreement. This agreement limits use to scientific research. Use  
for software development or design, implementation of commercial  
gateways, or use of CAS and STN data in the building of commercial  
products is prohibited and may result in loss of user privileges  
and other penalties.

\*\*\*\*\* STN Columbus \*\*\*\*\*

FILE 'HOME' ENTERED AT 12:45:12 ON 10 JUN 2009

=> file registry  
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.22	0.22

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 12:45:29 ON 10 JUN 2009  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 8 JUN 2009 HIGHEST RN 1154048-98-2  
DICTIONARY FILE UPDATES: 8 JUN 2009 HIGHEST RN 1154048-98-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>  
Uploading C:\Program Files\STNEXP\Queries\10591157.str



chain nodes :  
15 16 17 18 19 20 21 22 23  
ring nodes :  
1 2 3 4 5 6 7 8 9 10 11 12 13 14  
chain bonds :  
1-20 7-16 10-15 12-17 14-21 17-18 17-19 20-22 21-23  
ring bonds :  
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 8-11 9-10 9-14 11-12 12-13  
13-14  
exact/norm bonds :  
1-20 5-7 6-10 7-8 7-16 9-10 10-15 14-21 20-22 21-23  
exact bonds :  
12-17  
normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 8-9 8-11 9-14 11-12 12-13 13-14 17-18 17-19

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom  
11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS  
19:CLASS 20:CLASS 21:CLASS 22:CLASS 23:CLASS

L1 STRUCTURE UPLOADED

=> s l1 sss ful  
FULL SEARCH INITIATED 12:45:44 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 2230 TO ITERATE

100.0% PROCESSED 2230 ITERATIONS 63 ANSWERS  
SEARCH TIME: 00.00.01

L2 63 SEA SSS FUL L1

=> d l2 ibib abs 1-63  
'IBIB' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'  
'ABS' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'

The following are valid formats:

Substance information can be displayed by requesting individual fields or predefined formats. The predefined substance formats are: (RN = CAS Registry Number)

REG - RN  
SAM - Index Name, MF, and structure - no RN  
FIDE - All substance data, except sequence data  
IDE - FIDE, but only 50 names  
SQIDE - IDE, plus sequence data  
SQIDE3 - Same as SQIDE, but 3-letter amino acid codes are used  
SQD - Protein sequence data, includes RN  
SQD3 - Same as SQD, but 3-letter amino acid codes are used  
SQN - Protein sequence name information, includes RN

EPROP - Table of experimental properties  
PPROP - Table of predicted properties  
PROP - EPROP, ETAG, PPROP and SPEC

Any CA File format may be combined with any substance format to obtain CA references citing the substance. The substance formats must be cited first. The CA File predefined formats are:

ABS -- Abstract  
APPS -- Application and Priority Information  
BIB -- CA Accession Number, plus Bibliographic Data  
CAN -- CA Accession Number  
CBIB -- CA Accession Number, plus Bibliographic Data (compressed)  
IND -- Index Data  
IPC -- International Patent Classification  
PATS -- PI, SO  
STD -- BIB, IPC, and NCL

IABS -- ABS, indented, with text labels  
IBIB -- BIB, indented, with text labels

ISTD -- STD format, indented

OBIB ----- AN, plus Bibliographic Data (original)

OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations

SIBIB ----- IBIB, no citations

The ALL format gives FIDE BIB ABS IND RE, plus sequence data when it is available.

The MAX format is the same as ALL.

The IALL format is the same as ALL with BIB ABS and IND indented, with text labels.

For additional information, please consult the following help messages:

HELP DFIELDS -- To see a complete list of individual display fields.

HELP FORMATS -- To see detailed descriptions of the predefined formats.

ENTER DISPLAY FORMAT (IDE):end

=> d l 12 1-63

'L' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'

The following are valid formats:

Substance information can be displayed by requesting individual fields or predefined formats. The predefined substance formats are: (RN = CAS Registry Number)

REG - RN

SAM - Index Name, MF, and structure - no RN

FIDE - All substance data, except sequence data

IDE - FIDE, but only 50 names

SQIDE - IDE, plus sequence data

SQIDE3 - Same as SQIDE, but 3-letter amino acid codes are used

SQD - Protein sequence data, includes RN

SQD3 - Same as SQD, but 3-letter amino acid codes are used

SQN - Protein sequence name information, includes RN

EPROP - Table of experimental properties

PPROP - Table of predicted properties

PROP - EPROP, ETAG, PPROP and SPEC

Any CA File format may be combined with any substance format to obtain CA references citing the substance. The substance formats must be cited first. The CA File predefined formats are:

ABS -- Abstract

APPS -- Application and Priority Information

BIB -- CA Accession Number, plus Bibliographic Data

CAN -- CA Accession Number

CBIB -- CA Accession Number, plus Bibliographic Data (compressed)

IND -- Index Data

IPC -- International Patent Classification

PATS -- PI, SO

STD -- BIB, IPC, and NCL

IABS -- ABS, indented, with text labels

IBIB -- BIB, indented, with text labels

ISTD -- STD format, indented

OBIB ----- AN, plus Bibliographic Data (original)  
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations  
SIBIB ----- IBIB, no citations

The ALL format gives FIDE BIB ABS IND RE, plus sequence data when it is available.

The MAX format is the same as ALL.

The IALL format is the same as ALL with BIB ABS and IND indented, with text labels.

For additional information, please consult the following help messages:


HELP DFIELDS -- To see a complete list of individual display fields.  
HELP FORMATS -- To see detailed descriptions of the predefined formats.  
ENTER DISPLAY FORMAT (IDE):end

=> d 12 1-63

L2 ANSWER 1 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 1024003-23-3 REGISTRY  
ED Entered STN: 30 May 2008  
CN Hyaluronic acid, 4,5-bis(acetyloxy)-9,10-dihydro-9,10-dioxo-2-anthracenecarboxylate (ester) (CA INDEX NAME)  
MF C19 H12 O8 . x Unspecified  
PCT Manual registration, Polyester, Polyester formed  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER

CM 1

CRN 13739-02-1  
CMF C19 H12 O8



CM 2

CRN 9004-61-9  
CMF Unspecified  
CCI PMS, MAN

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*  
1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 2 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 942153-10-8 REGISTRY  
ED Entered STN: 11 Jul 2007  
CN Adenosine, 5'-[[ (3S)-3-amino-3-carboxypropyl]methylsulfonio]-5'-deoxy-,

inner salt, 4,5-bis(acetyloxy)-9,10-dihydro-9,10-dioxo-2-anthracenecarboxylate (1:1) (CA INDEX NAME)

OTHER NAMES:


CN Diacerein-S-adenosylmethionine mixt.  
FS STEREOSEARCH  
MF C19 H12 O8 . C15 H22 N6 O5 S  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

CM 1

CRN 29908-03-0

CMF C15 H22 N6 O5 S


Absolute stereochemistry.



CM 2

CRN 13739-02-1

CMF C19 H12 O8




- 1 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
- 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 3 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 942120-35-6 REGISTRY  
ED Entered STN: 11 Jul 2007  
CN 2-Anthracenecarboxylic acid, 4,5-bis(acetyloxy)-9,10-dihydro-9,10-dioxo-,  
mixt. with N-(4-hydroxyphenyl)acetamide (CA INDEX NAME)  
MF C19 H12 O8 . C8 H9 N O2  
CI MXS  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

CM 1

CRN 13739-02-1


CMF C19 H12 O8



CM 2

CRN 103-90-2

CMF C8 H9 N O2



1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 4 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN

RN 873431-40-4 REGISTRY


ED Entered STN: 03 Feb 2006

CN 2-Anthracenecarboxylic acid, 4,5-bis(acetyloxy)-9,10-dihydro-7-methyl-9,10-dioxo- (CA INDEX NAME)

MF C20 H14 O8

SR CA

LC STN Files: CA, CAPLUS



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 5 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN


RN 864652-92-6 REGISTRY

ED Entered STN: 07 Oct 2005

CN 3-Furancarboxylic acid, tetrahydro-,  
3-carboxy-9,10-dihydro-9,10-dioxo-1,8-anthracenediyl ester (9CI) (CA  
INDEX NAME)

MF C25 H20 O10


SR CA  
LC STN Files: CA, CAPLUS, CASREACT, TOXCENTER



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 6 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 864652-91-5 REGISTRY  
ED Entered STN: 07 Oct 2005  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4,5-bis(4-methoxy-1-oxobutoxy)-  
9,10-dioxo- (CA INDEX NAME)  
MF C25 H24 O10  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, TOXCENTER




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 7 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 864652-90-4 REGISTRY  
ED Entered STN: 07 Oct 2005  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-9,10-dioxo-4,5-bis[[2-(phenylmethoxy)acetyl]oxy]- (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-9,10-dioxo-4,5-bis[[2-(phenylmethoxy)acetyl]oxy]- (9CI)




MF C33 H24 O10  
 SR CA  
 LC STN Files: CA, CAPLUS, CASREACT, TOXCENTER



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 8 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
 RN 864652-89-1 REGISTRY  
 ED Entered STN: 07 Oct 2005  
 CN 2-Anthracenecarboxylic acid, 9,10-dihydro-9,10-dioxo-4,5-bis(1-oxobutoxy)-  
 (CA INDEX NAME)  
 MF C23 H20 O8  
 SR CA  
 LC STN Files: CA, CAPLUS, CASREACT, TOXCENTER



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 9 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
 RN 864652-88-0 REGISTRY  
 ED Entered STN: 07 Oct 2005  
 CN 2H-Pyran-4-carboxylic acid, tetrahydro-,  
 3-carboxy-9,10-dihydro-9,10-dioxo-1,8-anthracenediyl ester (CA INDEX  
 NAME)  
 MF C27 H24 O10  
 SR CA  
 LC STN Files: CA, CAPLUS, CASREACT, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 10 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 861790-34-3 REGISTRY  
ED Entered STN: 25 Aug 2005  
CN 2-Anthraquinonecarboxylic acid, 4,5,7-trimethoxy-, potassium salt (2CI)  
(CA INDEX NAME)  
MF C18 H14 O7 . K  
SR CAS EARLY REGISTRATIONS  
LC STN Files: CA, CAPLUS, TOXCENTER  
CRN (202974-82-1)



● K

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 11 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 355022-25-2 REGISTRY  
ED Entered STN: 06 Sep 2001  
CN 2-Anthracenecarboxylic acid, 1,8-dibromo-9,10-dihydro-4,5-bis(1-methylethoxy)-9,10-dioxo- (CA INDEX NAME)  
OTHER NAMES:  
CN 1,8-Dibromo-9,10-dihydro-4,5-bis(1-methylethoxy)-9,10-dioxo-2-anthracenecarboxylic acid  
MF C21 H18 Br2 O6  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 12 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 202974-82-1 REGISTRY  
ED Entered STN: 22 Mar 1998  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4,5,7-trimethoxy-9,10-dioxo-  
(CA INDEX NAME)  
MF C18 H14 O7  
CI COM  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

3 REFERENCES IN FILE CA (1907 TO DATE)  
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 13 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 190514-64-8 REGISTRY  
ED Entered STN: 27 Jun 1997  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-9,10-dioxo-4,5-  
bis(phenylmethoxy)- (CA INDEX NAME)  
MF C29 H20 O6  
SR CA  
LC STN Files: CA, CAPLUS



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 14 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 176106-20-0 REGISTRY  
ED Entered STN: 09 May 1996  
CN 2-Anthracenecarboxylic acid, 4,5-bis(difluoromethoxy)-9,10-dihydro-9,10-dioxo- (CA INDEX NAME)  
MF C17 H8 F4 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 15 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 164228-42-6 REGISTRY  
ED Entered STN: 29 Jun 1995  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-9,10-dioxo-4,5-dipropoxy- (CA INDEX NAME)  
MF C21 H20 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 16 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 162975-59-9 REGISTRY  
ED Entered STN: 12 May 1995  
CN 2-Anthracenecarboxylic acid, 4,5,8-tris(acetyloxy)-9,10-dihydro-9,10-dioxo-  
(CA INDEX NAME)  
MF C21 H14 O10  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 17 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 161802-06-8 REGISTRY  
ED Entered STN: 30 Mar 1995  
CN 2-Anthracenecarboxylic acid, 4,5-diethoxy-9,10-dihydro-9,10-dioxo- (CA  
INDEX NAME)  
MF C19 H16 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

3 REFERENCES IN FILE CA (1907 TO DATE)  
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 18 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 161802-05-7 REGISTRY  
ED Entered STN: 30 Mar 1995


CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4,5,8-trimethoxy-9,10-dioxo-  
(CA INDEX NAME)  
MF C18 H14 O7  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

4 REFERENCES IN FILE CA (1907 TO DATE)  
4 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 19 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 158095-46-6 REGISTRY  
ED Entered STN: 05 Oct 1994  
CN 2-Anthracenecarboxylic acid, 8-fluoro-9,10-dihydro-4,5-dimethoxy-9,10-  
dioxo- (CA INDEX NAME)  
MF C17 H11 F O6  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 20 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 154658-99-8 REGISTRY  
ED Entered STN: 29 Apr 1994  
CN 2-Anthracenecarboxylic acid, 3,6-difluoro-9,10-dihydro-4,5-dimethoxy-9,10-  
dioxo- (CA INDEX NAME)  
MF C17 H10 F2 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 21 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 154658-98-7 REGISTRY  
ED Entered STN: 29 Apr 1994  
CN 2-Anthracenecarboxylic acid, 6-fluoro-9,10-dihydro-4,5-dimethoxy-9,10-dioxo- (CA INDEX NAME)  
MF C17 H11 F O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 22 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 154658-45-4 REGISTRY  
ED Entered STN: 29 Apr 1994  
CN 2-Anthracenecarboxylic acid, 1,4,5,8-tetrakis(acetyloxy)-9,10-dihydro-9,10-dioxo- (CA INDEX NAME)  
OTHER NAMES:  
CN 1,4,5,8-Tetraacetoxyanthraquinone-2-carboxylic acid  
MF C23 H16 O12  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 23 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 154658-44-3 REGISTRY  
ED Entered STN: 29 Apr 1994  
CN 2-Anthracenecarboxylic acid, 1,4,5-tris(acetyloxy)-9,10-dihydro-9,10-dioxo-  
(CA INDEX NAME)

OTHER NAMES:

CN 1,4,5-Triacetoxyanthraquinone-2-carboxylic acid  
MF C21 H14 O10  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 24 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 154658-39-6 REGISTRY  
ED Entered STN: 29 Apr 1994  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-1,4,5-trimethoxy-9,10-dioxo-  
(CA INDEX NAME)

OTHER NAMES:

CN 1,4,5-Trimethoxyanthraquinone-2-carboxylic acid  
MF C18 H14 O7  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, TOXCENTER, USPATFULL






\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

3 REFERENCES IN FILE CA (1907 TO DATE)  
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 25 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 154658-38-5 REGISTRY  
ED Entered STN: 29 Apr 1994  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-1,4,5,8-tetramethoxy-9,10-dioxo-  
(CA INDEX NAME)  
MF C19 H16 O8  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 26 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 154658-36-3 REGISTRY  
ED Entered STN: 29 Apr 1994  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4,5-dimethoxy-8-nitro-9,10-dioxo-  
(CA INDEX NAME)  
MF C17 H11 N O8  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 27 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-68-9 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 4,5-bis[(chlorocarbonyl)oxy]-9,10-dihydro-  
9,10-dioxo- (CA INDEX NAME)  
MF C17 H6 Cl2 O8  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 28 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-29-2 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 4,5,8-tris[[ (ethylamino)carbonyl]oxy]-9,10-  
dihydro-9,10-dioxo- (CA INDEX NAME)  
MF C24 H23 N3 O10  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 29 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-28-1 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4,5,8-  
tris[[(methyamino)carbonyl]oxy]-9,10-dioxo- (CA INDEX NAME)  
MF C21 H17 N3 O10  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 30 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-27-0 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-9,10-dioxo-4,5-  
bis[[(phenylmethyl)amino]carbonyl]oxy]- (CA INDEX NAME)  
MF C31 H22 N2 O8  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 31 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN


RN 143700-26-9 REGISTRY  
 ED Entered STN: 30 Sep 1992  
 CN 2-Anthracenecarboxylic acid, 4,5-bis[[ (butylamino)carbonyl]oxy]-9,10-dihydro-9,10-dioxo- (CA INDEX NAME)  
 MF C25 H26 N2 O8  
 SR CA  
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 32 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
 RN 143700-25-8 REGISTRY  
 ED Entered STN: 30 Sep 1992  
 CN 2-Anthracenecarboxylic acid, 9,10-dihydro-9,10-dioxo-4,5-bis[[ (propylamino)carbonyl]oxy]- (CA INDEX NAME)  
 MF C23 H22 N2 O8  
 SR CA  
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 33 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
 RN 143700-24-7 REGISTRY  
 ED Entered STN: 30 Sep 1992  
 CN 2-Anthracenecarboxylic acid, 4,5-bis[[ (ethylamino)carbonyl]oxy]-9,10-dihydro-9,10-dioxo- (CA INDEX NAME)  
 MF C21 H18 N2 O8  
 SR CA


LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 34 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-23-6 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4,5-  
bis[(methylamino)carbonyloxy]-9,10-dioxo- (CA INDEX NAME)  
MF C19 H14 N2 O8  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 35 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-22-5 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 4,5,8-tris[(ethoxycarbonyl)oxy]-9,10-dihydro-  
9,10-dioxo- (CA INDEX NAME)  
MF C24 H20 O13  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 36 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-21-4 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4,5,8-tris[(methoxycarbonyl)oxy]-  
9,10-dioxo- (CA INDEX NAME)  
MF C21 H14 O13  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 37 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-20-3 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-9,10-dioxo-4,5-  
bis[[(phenylmethoxy)carbonyl]oxy]- (CA INDEX NAME)  
MF C31 H20 O10  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 38 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-19-0 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 4,5-bis[(butoxycarbonyl)oxy]-9,10-dihydro-9,10-dioxo- (CA INDEX NAME)  
MF C25 H24 O10  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 39 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-18-9 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-9,10-dioxo-4,5-bis[(propoxycarbonyl)oxy]- (CA INDEX NAME)  
MF C23 H20 O10  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 40 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-17-8 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 4,5-bis[(ethoxycarbonyl)oxy]-9,10-dihydro-  
9,10-dioxo- (CA INDEX NAME)  
MF C21 H16 O10  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 41 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 143700-16-7 REGISTRY  
ED Entered STN: 30 Sep 1992  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4,5-bis[(methoxycarbonyl)oxy]-  
9,10-dioxo- (CA INDEX NAME)  
MF C19 H12 O10  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL





\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 42 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 131817-00-0 REGISTRY  
ED Entered STN: 01 Feb 1991  
CN 2-Anthracenecarboxylic acid, 4,5-bis(acetyloxy)-9,10-dihydro-9,10-dioxo-,  
magnesium salt (2:1) (CA INDEX NAME)

OTHER CA INDEX NAMES:


CN 2-Anthracenecarboxylic acid, 4,5-bis(acetyloxy)-9,10-dihydro-9,10-dioxo-,  
magnesium salt (9CI)

MF C19 H12 O8 . 1/2 Mg

SR CA

LC STN Files: CA, CAPLUS, IMPATENTS, IMSRESEARCH, TOXCENTER, USPATFULL

CRN (13739-02-1)



● 1/2 Mg

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 43 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 123077-92-9 REGISTRY  
ED Entered STN: 06 Oct 1989  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4,5-dimethoxy-9,10-dioxo-3-(3-  
oxopentyl)- (CA INDEX NAME)

MF C22 H20 O7

SR CA

LC STN Files: BEILSTEIN\*, CA, CAPLUS, CASREACT, TOXCENTER


(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 44 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 116378-67-7 REGISTRY  
ED Entered STN: 17 Sep 1988  
CN [1,1'-Bianthracene]-7,7'-dicarboxylic acid,  
4,4',5,5'-tetraakis(acetyloxy)-9,9',10,10'-tetrahydro-9,9',10,10'-tetraoxo-  
(CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN [1,1'-Bianthraquinone]-7,7'-dicarboxylic acid, 4,4',5,5'-tetrahydroxy-,  
tetraacetate (6CI)  
MF C38 H22 O16  
SR CA  
LC STN Files: BEILSTEIN\*, CA, CAPLUS  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 45 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 115436-68-5 REGISTRY  
ED Entered STN: 23 Jul 1988  
CN 2-Anthracene-10-14C-carboxylic acid,  
4,5-bis(acetyloxy)-9,10-dihydro-9,10-dioxo- (9CI) (CA INDEX NAME)  
MF C19 H12 O8  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, IMSPATENTS, IMSRESEARCH



1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 46 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 112118-19-1 REGISTRY  
ED Entered STN: 01 Jan 1988  
CN 2-Anthracenecarboxylic acid, 4,5-bis(acetyloxy)-9,10-dihydro-9,10-dioxo-, calcium salt (2:1) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 2-Anthracenecarboxylic acid, 4,5-bis(acetyloxy)-9,10-dihydro-9,10-dioxo-, calcium salt (9CI)  
OTHER NAMES:  
CN Di-O-acetylrhein calcium salt  
MF C19 H12 O8 . 1/2 Ca  
SR CA  
LC STN Files: CA, CAPLUS, IMSPATENTS, IMSRESEARCH, TOXCENTER, USPATFULL  
CRN (13739-02-1)



● 1/2 Ca

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 47 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 112118-18-0 REGISTRY  
ED Entered STN: 01 Jan 1988  
CN 2-Anthracenecarboxylic acid, 4,5-bis(acetyloxy)-9,10-dihydro-9,10-dioxo-, potassium salt (9CI) (CA INDEX NAME)  
OTHER NAMES:  
CN Di-O-acetylrhein potassium salt  
MF C19 H12 O8 . K  
SR CA  
LC STN Files: CA, CAPLUS, IMSPATENTS, IMSRESEARCH, TOXCENTER, USPATFULL  
CRN (13739-02-1)



● K

3 REFERENCES IN FILE CA (1907 TO DATE)  
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 48 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 112118-17-9 REGISTRY  
ED Entered STN: 01 Jan 1988  
CN 2-Anthracenecarboxylic acid, 4,5-bis(acetyloxy)-9,10-dihydro-9,10-dioxo-,  
sodium salt (9CI) (CA INDEX NAME)  
OTHER NAMES:  
CN Di-O-acetylrhein sodium salt  
MF C19 H12 O8 . Na  
SR CA  
LC STN Files: CA, CAPLUS, IMSPATENTS, IMSRESEARCH, TOXCENTER, USPATFULL  
CRN (13739-02-1)



● Na

3 REFERENCES IN FILE CA (1907 TO DATE)  
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 49 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 102555-69-1 REGISTRY  
ED Entered STN: 07 Jun 1986  
CN 2-Anthracenecarboxylic acid, 4,5-bis(acetyloxy)-9,10-dihydro-7-methoxy-  
9,10-dioxo- (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 2-Anthraquinonecarboxylic acid, 4,5-dihydroxy-7-methoxy-, diacetate (6CI)  
MF C20 H14 O9  
SR CA  
LC STN Files: BEILSTEIN\*, CA, CAPLUS, TOXCENTER  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

4 REFERENCES IN FILE CA (1907 TO DATE)  
4 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 50 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 101875-41-6 REGISTRY  
ED Entered STN: 04 May 1986  
CN 2-Anthracenecarboxylic acid, 4-(acetyloxy)-9,10-dihydro-5-methoxy-9,10-dioxo- (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 2-Anthraquinonecarboxylic acid, 4-hydroxy-5-methoxy-, acetate (6CI)  
MF C18 H12 O7  
SR CA  
LC STN Files: BEILSTEIN\*, CA, CAPLUS  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

3 REFERENCES IN FILE CA (1907 TO DATE)  
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 51 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 96578-47-1 REGISTRY  
ED Entered STN: 03 Jun 1985  
CN 2-Anthracenecarboxylic acid, 3,4,5,7,8-pentakis(acetyloxy)-9,10-dihydro-9,10-dioxo- (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 2-Anthroic acid, 9,10-dihydro-3,4,5,7,8-pentahydroxy-9,10-dioxo-, pentaacetate (7CI)  
MF C25 H18 O14  
LC STN Files: BEILSTEIN\*, CA, CAPLUS  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 52 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 95455-49-5 REGISTRY  
ED Entered STN: 23 Mar 1985  
CN 2-Anthracenecarboxylic acid, 4,5-diethoxy-9,10-dihydro-9,10-dioxo-3-(3-oxobutyl)- (CA INDEX NAME)  
MF C23 H22 O7  
LC STN Files: BEILSTEIN\*, CA, CAPLUS  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 53 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 92838-38-5 REGISTRY  
ED Entered STN: 17 Dec 1984  
CN 2-Anthracenecarboxylic acid, 4,5,7-tris(acetyloxy)-9,10-dihydro-9,10-dioxo-3-(3-oxopentyl)- (CA INDEX NAME)  
MF C26 H22 O11  
LC STN Files: BEILSTEIN\*, CA, CAPLUS  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 54 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 87998-39-8 REGISTRY  
ED Entered STN: 16 Nov 1984  
CN 2,3,6,7-Anthracenetetracarboxylic acid,  
9,10-dihydro-1,4,5,8-tetramethoxy- (CA INDEX NAME)  
MF C22 H16 O14  
LC STN Files: CA, CAPLUS



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 55 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 87998-38-7 REGISTRY  
ED Entered STN: 16 Nov 1984  
CN 2,3-Anthracenedicarboxylic acid, 9,10-dihydro-1,4,5,8-tetramethoxy-6,7-  
dimethyl-9,10-dioxo- (CA INDEX NAME)  
MF C22 H20 O10  
LC STN Files: CA, CAPLUS




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 56 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 82247-62-9 REGISTRY  
ED Entered STN: 16 Nov 1984  
CN 2-Anthracenecarboxylic acid, 4-ethoxy-9,10-dihydro-5-methoxy-9,10-dioxo-3-  
(3-oxopentyl)- (CA INDEX NAME)

MF C23 H22 O7  
 LC STN Files: BEILSTEIN\*, CA, CAPLUS  
 (\*File contains numerically searchable property data)




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 57 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
 RN 81686-02-4 REGISTRY  
 ED Entered STN: 16 Nov 1984  
 CN 2-Anthracenecarboxylic acid, 9,10-dihydro-9,10-dioxo-4,5-bis(1-oxopropoxy)-  
 (CA INDEX NAME)

OTHER NAMES:

CN 1,8-Dipropionyloxy-3-carboxyanthraquinone  
 CN 4,5-Dipropionylrhein  
 MF C21 H16 O8  
 LC STN Files: BEILSTEIN\*, BIOSIS, CA, CAPLUS, EMBASE, TOXCENTER, USPATFULL  
 (\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

5 REFERENCES IN FILE CA (1907 TO DATE)  
 5 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 58 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
 RN 81686-01-3 REGISTRY  
 ED Entered STN: 16 Nov 1984  
 CN 2-Anthracenecarboxylic acid, 4,5-bis(benzoyloxy)-9,10-dihydro-9,10-dioxo-  
 (CA INDEX NAME)

OTHER NAMES:

CN 1,8-Dibenzoyloxy-3-carboxyanthraquinone  
 CN 4,5-Dibenzoylrhein  
 CN Dibenzoylrhein  
 MF C29 H16 O8




LC STN Files: BEILSTEIN\*, BIOSIS, CA, CAPLUS, EMBASE, TOXCENTER  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

4 REFERENCES IN FILE CA (1907 TO DATE)  
4 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 59 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 72049-26-4 REGISTRY  
ED Entered STN: 16 Nov 1984  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-1-hydroxy-4,5-dimethoxy-9,10-dioxo- (CA INDEX NAME)  
MF C17 H12 O7  
LC STN Files: BEILSTEIN\*, CA, CAPLUS  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 60 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 72049-24-2 REGISTRY  
ED Entered STN: 16 Nov 1984  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4,5-dimethoxy-9,10-dioxo- (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 2-Anthraquinonecarboxylic acid, 4,5-dimethoxy- (6CI)  
OTHER NAMES:  
CN 4,5-Dimethoxyanthraquinone-2-carboxylic acid  
MF C17 H12 O6  
LC STN Files: BEILSTEIN\*, CA, CAPLUS, TOXCENTER, USPATFULL  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

9 REFERENCES IN FILE CA (1907 TO DATE)  
9 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 61 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 72049-23-1 REGISTRY  
ED Entered STN: 16 Nov 1984  
CN 2-Anthracenecarboxylic acid, 1-bromo-9,10-dihydro-4,5-dimethoxy-9,10-dioxo-  
(CA INDEX NAME)  
MF C17 H11 Br O6  
LC STN Files: BEILSTEIN\*, CA, CAPLUS  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 62 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 61350-19-4 REGISTRY  
ED Entered STN: 16 Nov 1984  
CN 2-Anthracenecarboxylic acid, 4,5,7-tris(acetyloxy)-9,10-dihydro-9,10-dioxo-  
(CA INDEX NAME)  
OTHER NAMES:  
CN Emodic acid triacetate  
MF C21 H14 O10  
LC STN Files: BEILSTEIN\*, CA, CAPLUS, CASREACT, TOXCENTER  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

9 REFERENCES IN FILE CA (1907 TO DATE)  
9 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 63 OF 63 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 13739-02-1 REGISTRY  
ED Entered STN: 16 Nov 1984  
CN 2-Anthracenecarboxylic acid, 4,5-bis(acetyloxy)-9,10-dihydro-9,10-dioxo-  
(CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 2-Anthroic acid, 9,10-dihydro-4,5-dihydroxy-9,10-dioxo-, diacetate (8CI)  
CN Rhein, diacetate (6CI)

OTHER NAMES:

CN 1,8-Diacetoxy-3-carboxyanthraquinone  
CN 4,5-Diacetoxyanthraquinone-2-carboxylic acid  
CN 4,5-Diacetylrhein

CN Artrodar

CN DAR

CN Diacerein

CN Diacerhein

CN Diacetylrhein

CN Fisiodar

CN SF 277

MF C19 H12 O8


CI COM

LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN\*, BIOSIS, BIOTECHNO, CA, CAPLUS, CASREACT, CHEMCATS, CHEMLIST, CIN, CSCHEM, DDFU, DRUGU, EMBASE, IMSDRUGNEWS, IMSPATENTS, IMSPRODUCT, IMSRESEARCH, IPA, MEDLINE, MRCK\*, NAPRALERT, PHAR, PROMT, PROUSDDR, PS, RTECS\*, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL

(\*File contains numerically searchable property data)

Other Sources: EINECS\*\*, WHO

(\*\*Enter CHEMLIST File for up-to-date regulatory information)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

193 REFERENCES IN FILE CA (1907 TO DATE)  
7 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
196 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=>

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

333.27

333.49

FILE 'CAPLUS' ENTERED AT 13:08:53 ON 10 JUN 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 10 Jun 2009 VOL 150 ISS 24

FILE LAST UPDATED: 9 Jun 2009 (20090609/ED)

REVISED CLASS FIELDS (/NCL) LAST RELOADED: Feb 2009

USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2009

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 143700-18-9

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...

Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

L4 1 L3

=> d 14

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2009 ACS on STN

AN 1992:591514 CAPLUS

DN 117:191514

OREF 117:33063a,33066a  
 TI Preparation of 4,5-dihydroxy- and 4,5,8-trihydroxy-9,10-dihydro-9,10-dioxo-  
 2-anthracenecarboxylic acid dicarbonates and urethanes having therapeutic  
 (antiarthritic) activities  
 IN Rosini, Sergio; Mian, Maurizio  
 PA Istituto Gentili S.p.A., Italy  
 SO PCT Int. Appl., 16 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9210464	A1	19920625	WO 1991-EP2290	19911203
	W: AU, BB, BG, BR, CA, CS, FI, HU, JP, KP, KR, LK, MG, MN, MW, NO, PL, RO, SD, SU, US				
	RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, DE, DK, ES, FR, GA, GB, GN, GR, IT, LU, MC, ML, MR, NL, SE, SN, TD, TG				
	CA 2098112	A1	19920611	CA 1991-2098112	19911203
	AU 9190157	A	19920708	AU 1991-90157	19911203
	AU 657290	B2	19950309		
	EP 561846	A1	19930929	EP 1991-920850	19911203
	EP 561846	B1	19950322		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, MC, NL, SE				
	JP 06503078	T	19940407	JP 1992-500339	19911203
	AT 120180	T	19950415	AT 1991-920850	19911203
	ES 2069915	T3	19950516	ES 1991-920850	19911203
	US 5362750	A	19941108	US 1993-70382	19930607
PRAI	IT 1990-22343	A	19901211		
	WO 1991-EP2290	A	19911203		
OS	MARPAT 117:191514				
RE.CNT	3	THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT			

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
13.49	347.96

FULL ESTIMATED COST

STN INTERNATIONAL LOGOFF AT 13:21:05 ON 10 JUN 2009

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:ssptacrs1614

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\*\*\*\*\* Welcome to STN International \*\*\*\*\*

NEWS 1

Web Page for STN Seminar Schedule - N. America

NEWS 2 DEC 01 ChemPort single article sales feature unavailable  
 NEWS 3 APR 03 CAS coverage of exemplified prophetic substances enhanced  
 NEWS 4 APR 07 STN is raising the limits on saved answers  
 NEWS 5 APR 24 CA/CaPlus now has more comprehensive patent assignee information  
 NEWS 6 APR 26 USPATFULL and USPAT2 enhanced with patent assignment/reassignment information  
 NEWS 7 APR 28 CAS patent authority coverage expanded  
 NEWS 8 APR 28 ENCOMPLIT/ENCOMPLIT2 search fields enhanced  
 NEWS 9 APR 28 Limits doubled for structure searching in CAS REGISTRY  
 NEWS 10 MAY 08 STN Express, Version 8.4, now available  
 NEWS 11 MAY 11 STN on the Web enhanced  
 NEWS 12 MAY 11 BEILSTEIN substance information now available on STN Easy  
 NEWS 13 MAY 14 DGENE, PCTGEN and USGENE enhanced with increased limits for exact sequence match searches and introduction of free HIT display format  
 NEWS 14 MAY 15 INPADOCDB and INPAFAMDB enhanced with Chinese legal status data  
 NEWS 15 MAY 28 CAS databases on STN enhanced with NANO super role in records back to 1992  
 NEWS 16 JUN 01 CAS REGISTRY Source of Registration (SR) searching enhanced on STN

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,  
 AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability  
 NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 13:29:58 ON 10 JUN 2009

```
=> file registr
COST IN U.S. DOLLARS          SINCE FILE      TOTAL
                               ENTRY      SESSION
FULL ESTIMATED COST          0.22          0.22
```

FILE 'REGISTRY' ENTERED AT 13:30:04 ON 10 JUN 2009  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 JUN 2009 HIGHEST RN 1154048-98-2  
 DICTIONARY FILE UPDATES: 8 JUN 2009 HIGHEST RN 1154048-98-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=>

Uploading C:\Program Files\STNEXP\Queries\10591157a.str



```
chain nodes :
15 16 17 18 19 20 21 22 23
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14
chain bonds :
1-20 7-16 10-15 12-17 14-21 17-18 17-19 20-22 21-23
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 8-11 9-10 9-14 11-12 12-13
13-14
exact/norm bonds :
1-20 5-7 6-10 7-8 7-16 9-10 10-15 14-21 20-22
exact bonds :
12-17 21-23
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 8-9 8-11 9-14 11-12 12-13 13-14 17-18 17-19
```

Match level :

```
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS
19:CLASS 20:CLASS 21:CLASS 22:CLASS 23:CLASS
```

L1 STRUCTURE UPLOADED

=> s ll sss ful

FULL SEARCH INITIATED 13:30:23 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 2656 TO ITERATE


100.0% PROCESSED 2656 ITERATIONS  
SEARCH TIME: 00.00.01

11 ANSWERS

L2 11 SEA SSS FUL L1

=> d 12 1-12


L2 ANSWER 1 OF 11 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 1099520-12-3 REGISTRY  
ED Entered STN: 02 Feb 2009  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4-hydroxy-5-(1-methylethoxy)-  
9,10-dioxo-3-propyl- (CA INDEX NAME)  
MF C21 H20 O6  
SR CA  
LC STN Files: CA, CAPLUS, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 2 OF 11 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 1099520-01-0 REGISTRY  
ED Entered STN: 02 Feb 2009  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4-hydroxy-5-methoxy-3-methyl-  
9,10-dioxo- (CA INDEX NAME)  
MF C17 H12 O6  
SR CA  
LC STN Files: CA, CAPLUS, USPATFULL




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 3 OF 11 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 1099520-00-9 REGISTRY  
ED Entered STN: 02 Feb 2009




CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4-hydroxy-5-methoxy-9,10-dioxo-3-(2-propen-1-yl)- (CA INDEX NAME)  
 MF C19 H14 O6  
 SR CA  
 LC STN Files: CA, CAPLUS, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 4 OF 11 REGISTRY COPYRIGHT 2009 ACS on STN  
 RN 1028299-59-3 REGISTRY  
 ED Entered STN: 15 Jun 2008  
 CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4-hydroxy-5-(2-methyl-1-oxopropoxy)-9,10-dioxo- (CA INDEX NAME)  
 MF C19 H14 O7  
 SR Other Sources  
 Database: ChemSpider (ChemZoo, Inc.)




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 ANSWER 5 OF 11 REGISTRY COPYRIGHT 2009 ACS on STN  
 RN 1027249-37-1 REGISTRY  
 ED Entered STN: 11 Jun 2008  
 CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4-hydroxy-9,10-dioxo-5-(1-oxopropoxy)- (CA INDEX NAME)  
 MF C18 H12 O7  
 SR Other Sources  
 Database: ChemSpider (ChemZoo, Inc.)




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 ANSWER 6 OF 11 REGISTRY COPYRIGHT 2009 ACS on STN  
 RN 1025906-47-1 REGISTRY  
 ED Entered STN: 06 Jun 2008  
 CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4-hydroxy-9,10-dioxo-5-(1-oxobutoxy)- (CA INDEX NAME)  
 MF C19 H14 O7  
 SR Other Sources  
 Database: ChemSpider (ChemZoo, Inc.)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 ANSWER 7 OF 11 REGISTRY COPYRIGHT 2009 ACS on STN  
 RN 883125-77-7 REGISTRY  
 ED Entered STN: 05 May 2006  
 CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4-hydroxy-5,7-dimethoxy-9,10-dioxo- (CA INDEX NAME)  
 MF C17 H12 O7  
 SR CA  
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 8 OF 11 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 875535-35-6 REGISTRY  
ED Entered STN: 01 Mar 2006  
CN 2-Anthracenecarboxylic acid, 5-(acetyloxy)-9,10-dihydro-4-hydroxy-9,10-dioxo- (CA INDEX NAME)  
MF C17 H10 O7  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 9 OF 11 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 202974-90-1 REGISTRY  
ED Entered STN: 22 Mar 1998  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4-hydroxy-5-methoxy-9,10-dioxo-3-(phenylmethyl)- (CA INDEX NAME)  
MF C23 H16 O6  
SR CA  
LC STN Files: CA, CAPLUS, USPATFULL




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 10 OF 11 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 88365-13-3 REGISTRY  
ED Entered STN: 16 Nov 1984


CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4-hydroxy-5-methoxy-9,10-dioxo-3-(3-oxopentyl)- (CA INDEX NAME)  
 MF C21 H18 O7  
 LC STN Files: BEILSTEIN\*, CA, CAPLUS  
 (\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 11 OF 11 REGISTRY COPYRIGHT 2009 ACS on STN  
 RN 3300-26-3 REGISTRY  
 ED Entered STN: 16 Nov 1984  
 CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4-hydroxy-5-methoxy-9,10-dioxo- (CA INDEX NAME)  
 OTHER CA INDEX NAMES:  
 CN 2-Anthraquinonecarboxylic acid, 4-hydroxy-5-methoxy- (6CI)  
 CN 2-Anthroic acid, 9,10-dihydro-4-hydroxy-5-methoxy-9,10-dioxo- (7CI, 8CI)  
 OTHER NAMES:  
 CN Rhein, 8-O-methyl-  
 MF C16 H10 O6  
 LC STN Files: BEILSTEIN\*, CA, CAPLUS, CASREACT, TOXCENTER, USPATFULL  
 (\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

6 REFERENCES IN FILE CA (1907 TO DATE)  
 6 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	209.39	209.61

FILE 'CAPLUS' ENTERED AT 13:31:50 ON 10 JUN 2009  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 10 Jun 2009 VOL 150 ISS 24  
FILE LAST UPDATED: 9 Jun 2009 (20090609/ED)  
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Feb 2009  
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2009

CPlus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 1028299-59-3  
REGISTRY INITIATED  
Substance data SEARCH and crossover from CAS REGISTRY in progress...  
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

L4            0 L3

=> s 1028299-59-3/rn  
      0 1028299-59-3  
      0 1028299-59-3D  
L5        0 1028299-59-3/RN  
          (1028299-59-3 (NOTL) 1028299-59-3D )

=> file registry	SINCE FILE	TOTAL
COST IN U.S. DOLLARS	ENTRY	SESSION
FULL ESTIMATED COST	11.22	221.81

FILE 'REGISTRY' ENTERED AT 13:37:33 ON 10 JUN 2009  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 JUN 2009 HIGHEST RN 1154048-98-2  
DICTIONARY FILE UPDATES: 8 JUN 2009 HIGHEST RN 1154048-98-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.


Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\STNEXP\Queries\10591157b.str



```
chain nodes :
15 16 17 18 19 20 21 22 23
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14
chain bonds :
1-20 7-16 10-15 12-17 14-21 17-18 17-19 20-22 21-23
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 8-11 9-10 9-14 11-12 12-13
13-14
exact/norm bonds :
1-20 5-7 6-10 7-8 7-16 9-10 10-15 14-21 21-23
exact bonds :
12-17 20-22
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 8-9 8-11 9-14 11-12 12-13 13-14 17-18 17-19
```

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom  
11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS  
19:CLASS 20:CLASS 21:CLASS 22:CLASS 23:CLASS

L6 STRUCTURE UPLOADED

=> s 16 sss ful

FULL SEARCH INITIATED 13:37:53 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 2230 TO ITERATE


100.0% PROCESSED 2230 ITERATIONS  
SEARCH TIME: 00.00.01

3 ANSWERS

L7 3 SEA SSS FUL L6


=> d l7 1-3

L7 ANSWER 1 OF 3 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 913690-86-5 REGISTRY  
ED Entered STN: 21 Nov 2006  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-5,7-dihydroxy-4-methoxy-9,10-dioxo- (CA INDEX NAME)  
MF C16 H10 O7  
SR Other Sources  
Database: ChemBank (The Broad Institute)  
LC STN Files: CHEMCATS



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L7 ANSWER 2 OF 3 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 875535-36-7 REGISTRY  
ED Entered STN: 01 Mar 2006  
CN 2-Anthracenecarboxylic acid, 4-(acetyloxy)-9,10-dihydro-5-hydroxy-9,10-dioxo- (CA INDEX NAME)  
MF C17 H10 O7  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L7 ANSWER 3 OF 3 REGISTRY COPYRIGHT 2009 ACS on STN

RN 13241-29-7 REGISTRY  
 ED Entered STN: 16 Nov 1984  
 CN 2-Anthracenecarboxylic acid, 9,10-dihydro-5-hydroxy-4-methoxy-9,10-dioxo-  
 (CA INDEX NAME)  
 OTHER CA INDEX NAMES:  
 CN 2-Anthroic acid, 9,10-dihydro-5-hydroxy-4-methoxy-9,10-dioxo- (7CI, 8CI)  
 MF C16 H10 O6  
 LC STN Files: BEILSTEIN\*, CA, CAPLUS  
 (\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

3 REFERENCES IN FILE CA (1907 TO DATE)  
 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> FIL REGISTRY

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	192.51	414.32

FILE 'REGISTRY' ENTERED AT 13:38:36 ON 10 JUN 2009  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 JUN 2009 HIGHEST RN 1154048-98-2  
 DICTIONARY FILE UPDATES: 8 JUN 2009 HIGHEST RN 1154048-98-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=> S 1028299-59-3/RN

L8 1 1028299-59-3/RN




=> SET NOTICE 1 DISPLAY

NOTICE SET TO 1 U.S. DOLLAR FOR DISPLAY COMMAND  
SET COMMAND COMPLETED

=> D L8 SQIDE 1-

YOU HAVE REQUESTED DATA FROM 1 ANSWERS - CONTINUE? Y/(N):y  
THE ESTIMATED COST FOR THIS REQUEST IS 6.85 U.S. DOLLARS  
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:y

L8 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 1028299-59-3 REGISTRY  
CN 2-Anthracenecarboxylic acid, 9,10-dihydro-4-hydroxy-5-(2-methyl-1-oxopropoxy)-9,10-dioxo- (CA INDEX NAME)  
MF C19 H14 O7  
SR Other Sources  
Database: ChemSpider (ChemZoo, Inc.)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

=> SET NOTICE LOGIN DISPLAY

NOTICE SET TO OFF FOR DISPLAY COMMAND  
SET COMMAND COMPLETED

=>

=> file chemspider  
'CHEMSPIDER' IS NOT A VALID FILE NAME  
SESSION CONTINUES IN FILE 'REGISTRY'  
Enter "HELP FILE NAMES" at an arrow prompt (=>) for a list of files that are available. If you have requested multiple files, you can specify a corrected file name or you can enter "IGNORE" to continue accessing the remaining file names entered.

=>  
Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:ssptacrs1614

PASSWORD:  
TERMINAL (ENTER 1, 2, 3, OR ?):2

\*\*\*\*\* Welcome to STN International \*\*\*\*\*

NEWS 1 Web Page for STN Seminar Schedule - N. America  
NEWS 2 DEC 01 ChemPort single article sales feature unavailable  
NEWS 3 APR 03 CAS coverage of exemplified prophetic substances enhanced  
NEWS 4 APR 07 STN is raising the limits on saved answers  
NEWS 5 APR 24 CA/CAPLUS now has more comprehensive patent assignee information  
NEWS 6 APR 26 USPATFULL and USPAT2 enhanced with patent assignment/reassignment information  
NEWS 7 APR 28 CAS patent authority coverage expanded  
NEWS 8 APR 28 ENCOMPLIT/ENCOMPLIT2 search fields enhanced  
NEWS 9 APR 28 Limits doubled for structure searching in CAS REGISTRY  
NEWS 10 MAY 08 STN Express, Version 8.4, now available  
NEWS 11 MAY 11 STN on the Web enhanced  
NEWS 12 MAY 11 BEILSTEIN substance information now available on STN Easy  
NEWS 13 MAY 14 DGENE, PCTGEN and USGENE enhanced with increased limits for exact sequence match searches and introduction of free HIT display format  
NEWS 14 MAY 15 INPADOCDB and INPAFAMDB enhanced with Chinese legal status data  
NEWS 15 MAY 28 CAS databases on STN enhanced with NANO super role in records back to 1992  
NEWS 16 JUN 01 CAS REGISTRY Source of Registration (SR) searching enhanced on STN  
NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,  
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

\*\*\*\*\* STN Columbus \*\*\*\*\*

FILE 'HOME' ENTERED AT 11:40:23 ON 15 JUN 2009

=> file registry		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.88	0.88

FILE 'REGISTRY' ENTERED AT 11:42:27 ON 15 JUN 2009  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 14 JUN 2009 HIGHEST RN 1157585-76-6  
DICTIONARY FILE UPDATES: 14 JUN 2009 HIGHEST RN 1157585-76-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.48	1.36

FILE 'CAPLUS' ENTERED AT 11:42:39 ON 15 JUN 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 15 Jun 2009 VOL 150 ISS 25

FILE LAST UPDATED: 14 Jun 2009 (20090614/ED)

REVISED CLASS FIELDS (/NCL) LAST RELOADED: Feb 2009

USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2009

CAPLUS now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 864652-88-0

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...


Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

L2 2 L1

=> d 12 ibib abs 1-2

L2 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN  
ACCESSION NUMBER: 2007:175514 CAPLUS  
DOCUMENT NUMBER: 146:251663  
TITLE: Preparation of dihydroxyanthraquinones for therapeutic use as anti-inflammatory agents  
INVENTOR(S): Baxter, Andrew Douglas; Walmsley, Andrea  
PATENT ASSIGNEE(S): Sosei R & D Ltd., UK  
SOURCE: PCT Int. Appl., 22 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007017695	A2	20070215	WO 2006-GB2999	20060810
WO 2007017695	A3	20070518		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA			
AU 2006277794	A1	20070215	AU 2006-277794	20060810
CA 2618069	A1	20070215	CA 2006-2618069	20060810
EP 1912964	A2	20080423	EP 2006-779122	20060810
R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR			
JP 2009504625	T	20090205	JP 2008-525642	20060810
IN 2008DN00958	A	20080314	IN 2008-DN958	20080204
MX 2008001956	A	20080407	MX 2008-1956	20080208
NO 2008000710	A	20080425	NO 2008-710	20080208
KR 2008043800	A	20080519	KR 2008-704920	20080228
CN 101296916	A	20081029	CN 2006-80033058	20080310
US 20080234258	A1	20080925	US 2008-997660	20080520
PRIORITY APPLN. INFO.:			GB 2005-16469	A 20050810
			WO 2006-GB2999	W 20060810
OTHER SOURCE(S):			CASREACT 146:251663; MARPAT 146:251663	
GI				



I

AB Rhein related dihydroxyanthraquinones, such as I [R = morpholin-4-ylcarbonyl, NHet, CO<sub>2</sub>H, CO<sub>2</sub>Et, CO<sub>2</sub>(CH<sub>2</sub>)<sub>2</sub>OMe, X = O; R = CN, tetrazol-5-yl, X = CH<sub>2</sub>], were prepared for use in pharmaceutical compns. useful in the treatment of inflammatory and autoimmune diseases and conditions associated with T-cell proliferation or that are mediated by pro-inflammatory cytokines, particularly IL-1 $\beta$  or IL-18. These autoimmune and inflammatory diseases and conditions may include chronic degenerative disease, such as rheumatoid arthritis, osteoarthritis or osteoporosis, chronic demyelinating disease, such as multiple sclerosis, respiratory disease, such as asthma or chronic obstructive pulmonary disease (COPD), inflammatory bowel disease (IBD) such as ulcerative colitis or Crohn's disease, dermatol. conditions, such as psoriasis, scleroderma or atopic dermatitis, dental diseases, such as periodontal disease or gingivitis, diabetic nephropathy, lupus nephritis, IgA nephropathy, glomerulonephritis, systemic lupus erythematosus (SLE), graft vs. host disease, cancer, diabetic retinopathy, age-related macular degeneration, and conditions characterized by angiogenesis. Thus, dihydroxyanthraquinone I (R = morpholin-4-ylcarbonyl, X = O) was prepared via an amidation reaction with 87% yield of the corresponding carboxylic acid I (R = CO<sub>2</sub>H, X = O) with morpholine using EDCI and HOBT in CH<sub>2</sub>Cl<sub>2</sub>. The prepared compds. were assayed for their effect on serum TNF $\alpha$  and IL-10 levels using the LPS mouse assay, and they were assayed for anti-inflammatory using the Carrageenan paw edema assay in rats.

L2 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:1004687 CAPLUS

DOCUMENT NUMBER: 143:306044

TITLE: Preparation of ester derivatives of rhein as anti-inflammatory agents

INVENTOR(S): Baxter, Andrew Douglas; Walmsley, Andrea

PATENT ASSIGNEE(S): Arakis Ltd., UK

SOURCE: PCT Int. Appl., 20 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005085170	A1	20050915	WO 2005-GB832	20050304
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM,				

SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW  
 RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,  
 AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,  
 EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT,  
 RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,  
 MR, NE, SN, TD, TG


AU 2005219642	A1	20050915	AU 2005-219642	20050304
AU 2005219642	B2	20090423		
CA 2558082	A1	20050915	CA 2005-2558082	20050304
EP 1723097	A1	20061122	EP 2005-726943	20050304
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,				
IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR				
CN 1938258	A	20070328	CN 2005-80009964	20050304
BR 2005008352	A	20070731	BR 2005-8352	20050304
JP 2007526293	T	20070913	JP 2007-501352	20050304
ZA 2006007386	A	20080528	ZA 2006-7386	20050304
IN 2006DN04999	A	20070817	IN 2006-DN4999	20060830
MX 2006010058	A	20070510	MX 2006-10058	20060904
NO 2006004031	A	20060915	NO 2006-4031	20060907
KR 2007010142	A	20070122	KR 2006-720192	20060928
US 20070185036	A1	20070809	US 2006-591157	20061006

PRIORITY APPLN. INFO.:

GB 2004-4953 A 20040304  
 WO 2005-GB832 W 20050304

OTHER SOURCE(S): CASREACT 143:306044; MARPAT 143:306044

GI



I

AB The title rhein ester derivs. I (X1 = H, COR1; X2 = COR2; X1 ≠ X2 = H; R1, R2 = C1-C4 alkyl, 4 to 7-membered ring) are prepared and evaluated for their anti-inflammatory activity. For example, diacerein was hydrolyzed to the corresponding dihydroxy compound which was acylated with tetrahydro-4-pyranyl chloride to give the 4,5-bis(tetrahydropyran-4-carbonyl)oxy compound, I (X1 = X2 = COR, R = 4-tetrahydropyranyl).

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

=>

=>

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:ssptacrs1614

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page for STN Seminar Schedule - N. America  
NEWS 2 DEC 01 ChemPort single article sales feature unavailable  
NEWS 3 APR 03 CAS coverage of exemplified prophetic substances  
enhanced  
NEWS 4 APR 07 STN is raising the limits on saved answers  
NEWS 5 APR 24 CA/CAPLUS now has more comprehensive patent assignee  
information  
NEWS 6 APR 26 USPATFULL and USPAT2 enhanced with patent  
assignment/reassignment information  
NEWS 7 APR 28 CAS patent authority coverage expanded  
NEWS 8 APR 28 ENCOMPLIT/ENCOMPLIT2 search fields enhanced  
NEWS 9 APR 28 Limits doubled for structure searching in CAS  
REGISTRY  
NEWS 10 MAY 08 STN Express, Version 8.4, now available  
NEWS 11 MAY 11 STN on the Web enhanced  
NEWS 12 MAY 11 BEILSTEIN substance information now available on  
STN Easy  
NEWS 13 MAY 14 DGENE, PCTGEN and USGENE enhanced with increased  
limits for exact sequence match searches and  
introduction of free HIT display format  
NEWS 14 MAY 15 INPADOCDB and INPAFAMDB enhanced with Chinese legal  
status data  
NEWS 15 MAY 28 CAS databases on STN enhanced with NANO super role in  
records back to 1992  
NEWS 16 JUN 01 CAS REGISTRY Source of Registration (SR) searching  
enhanced on STN  
  
NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,  
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.  
  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN customer  
agreement. This agreement limits use to scientific research. Use  
for software development or design, implementation of commercial  
gateways, or use of CAS and STN data in the building of commercial  
products is prohibited and may result in loss of user privileges  
and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 14:48:52 ON 17 JUN 2009

=> file registry		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.22	0.22

FILE 'REGISTRY' ENTERED AT 14:49:02 ON 17 JUN 2009  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 15 JUN 2009 HIGHEST RN 1158168-92-3  
DICTIONARY FILE UPDATES: 15 JUN 2009 HIGHEST RN 1158168-92-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

```
=> e dibenzoylrhein
E1      5      DIBENZOYLRESORCIN/BI
E2      5      DIBENZOYLRESORCINOL/BI
E3      1 -->  DIBENZOYLRHEIN/BI
E4      1      DIBENZOYLRUTHEN/BI
E5      1      DIBENZOYLRUTHENOC/BI
E6      1      DIBENZOYLRUTHENOCENE/BI
E7      1      DIBENZOYLS/BI
E8      1      DIBENZOYLSECO/BI
E9      1      DIBENZOYLSECOVERACINTINE/BI
E10     2      DIBENZOYLSELENO/BI
E11     8      DIBENZOYLSELENOPHENE/BI
E12     1      DIBENZOYLSELENOTOLUENE/BI
```

```
=> s e3
L1      1 DIBENZOYLRHEIN/BI
```

```
=> d e3
'E3' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'
```

The following are valid formats:

Substance information can be displayed by requesting individual fields or predefined formats. The predefined substance formats are: (RN = CAS Registry Number)

REG - RN  
SAM - Index Name, MF, and structure - no RN  
FIDE - All substance data, except sequence data  
IDE - FIDE, but only 50 names  
SQIDE - IDE, plus sequence data  
SQIDE3 - Same as SQIDE, but 3-letter amino acid codes are used  
SQD - Protein sequence data, includes RN  
SQD3 - Same as SQD, but 3-letter amino acid codes are used  
SQN - Protein sequence name information, includes RN

EPROP - Table of experimental properties  
PPROP - Table of predicted properties  
PROP - EPROP, ETAG, PPROP and SPEC

Any CA File format may be combined with any substance format to obtain CA references citing the substance. The substance formats



must be cited first. The CA File predefined formats are:

ABS -- Abstract  
APPS -- Application and Priority Information  
BIB -- CA Accession Number, plus Bibliographic Data  
CAN -- CA Accession Number  
CBIB -- CA Accession Number, plus Bibliographic Data (compressed)  
IND -- Index Data  
IPC -- International Patent Classification  
PATS -- PI, SO  
STD -- BIB, IPC, and NCL

IABS -- ABS, indented, with text labels  
IBIB -- BIB, indented, with text labels  
ISTD -- STD format, indented

OBIB ----- AN, plus Bibliographic Data (original)  
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations  
SIBIB ----- IBIB, no citations

The ALL format gives FIDE BIB ABS IND RE, plus sequence data when it is available.

The MAX format is the same as ALL.

The IALL format is the same as ALL with BIB ABS and IND indented, with text labels.

For additional information, please consult the following help messages:

HELP DFIELDS -- To see a complete list of individual display fields.  
HELP FORMATS -- To see detailed descriptions of the predefined formats.  
ENTER DISPLAY FORMAT (IDE):end


=> d ll

L1 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2009 ACS on STN  
RN 81686-01-3 REGISTRY  
ED Entered STN: 16 Nov 1984  
CN 2-Anthracenecarboxylic acid, 4,5-bis(benzoyloxy)-9,10-dihydro-9,10-dioxo-  
(CA INDEX NAME)

OTHER NAMES:

CN 1,8-Dibenzoyloxy-3-carboxyanthraquinone  
CN 4,5-Dibenzoylrhein  
CN Dibenzoylrhein  
MF C29 H16 O8

LC STN Files: BEILSTEIN\*, BIOSIS, CA, CAPLUS, EMBASE, TOXCENTER  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

4 REFERENCES IN FILE CA (1907 TO DATE)  
4 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	7.88	8.10

FILE 'CAPLUS' ENTERED AT 14:49:28 ON 17 JUN 2009  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 17 Jun 2009 VOL 150 ISS 25  
FILE LAST UPDATED: 16 Jun 2009 (20090616/ED)  
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Apr 2009  
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2009

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>


This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l1  
L2 4 L1  
  
=> d l2 ibib abs 1-4

L2 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2009 ACS on STN  
ACCESSION NUMBER: 1984:144991 CAPLUS  
DOCUMENT NUMBER: 100:144991  
ORIGINAL REFERENCE NO.: 100:22063a,22066a  
TITLE: Pharmaceuticals containing carboxyanthraquinone derivatives for sclerosis treatment  
PATENT ASSIGNEE(S): Proter S.p.A., Italy  
SOURCE: Jpn. Kokai Tokyo Koho, 4 pp.  
CODEN: JKXXAF  
DOCUMENT TYPE: Patent  
LANGUAGE: Japanese  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 58225015	A	19831227	JP 1983-29594	19830225
JP 02060647	B	19901217		
PRIORITY APPLN. INFO.:			JP 1983-29594	19830225

GI




AB Pharmaceuticals for the treatment of sclerosis, especially multiple sclerosis and amyotrophic lateral sclerosis contain the anthraquinone derivs. (I) (R = lower alkyl or phenyl). Thus, 1,8-dihydroxy-3-carboxyanthraquinone [478-43-3] was treated with Ac2O to give 1,8-diacetoxy-3-carboxyanthraquinone (II) [13739-02-1]. Capsules were prepared containing II (250 g) lactose (5 kg) and Mg stearate (50 g). Each capsule contained 25 mg II.

L2 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2009 ACS on STN  
 ACCESSION NUMBER: 1983:535997 CAPLUS  
 DOCUMENT NUMBER: 99:135997  
 ORIGINAL REFERENCE NO.: 99:20849a,20852a  
 TITLE: Catalytic properties of serum albumin  
 AUTHOR(S): Ignesti, G.; Banchelli, M. G.; Pirisino, R.; Raimondi, L.; Buffoni, F.  
 CORPORATE SOURCE: Dep. Pharmacol., Univ. Florence, Florence, Italy  
 SOURCE: Pharmacological Research Communications (1983), 15(6), 569-79  
 CODEN: PLRCAT; ISSN: 0031-6989  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English

AB Human blood plasma was able to catalyze the reaction between tert-Bu hydroperoxide and 2-nitro-5-mercaptobenzoic acid. The purification of a protein fraction responsible for this activity indicated it was due to blood plasma albumin; this was also demonstrated using various purified com. albumins. The Vmax and the Km of the reaction and the effect of some substances of pharmacol. or physiol. importance on the same reaction were determined. Some antiinflammatory nonsteroidal drugs showed an inhibitory effect on the phenomenon, similar to that of endogenous substances, such as fatty acids, bilirubin, and arachidonic acid. The ability of other physiol. substances, such as cytochrome c, Hb, and hemin, to catalyze the same reaction was also observed.

L2 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2009 ACS on STN  
 ACCESSION NUMBER: 1982:193416 CAPLUS  
 DOCUMENT NUMBER: 96:193416  
 ORIGINAL REFERENCE NO.: 96:31749a,31752a  
 TITLE: Rhein and derivatives. In vitro studies on their capacity to inhibit certain proteases  
 AUTHOR(S): Raimondi, L.; Banchelli Soldaini, G.; Buffoni, F.; Ignesti, G.; Massacesi, L.; Amaducci, L.; Friedmann, C. A.  
 CORPORATE SOURCE: Dep. Pharmacol. Toxicol., Univ. Florence, Florence,

Italy  
 SOURCE: Pharmacological Research Communications (1982), 14(2),  
 103-12  
 CODEN: PLRCAT; ISSN: 0031-6989  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 GI



I

AB rhein (I) [478-43-3], 4,5-diacetylrhein [13739-02-1], 4,5-dipropionylrhein [81686-02-4] and 4,5-dibenzoylrhein [81686-01-3] were studied in vitro against certain types of protease [9001-92-7] (pepsin [9001-75-6], trypsin [9002-07-7], carboxypeptidase A [11075-17-5], elastase [9004-06-2]) and compared to 8-aminocaproic acid and to aprotinin. Rhein and its derivs. inhibit the protease in the range of 10<sup>-4</sup>-10<sup>-5</sup>M concns. The relation of these results to the pharmacol. of the rhein derivs. is discussed.

L2 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2009 ACS on STN  
 ACCESSION NUMBER: 1912:461 CAPLUS  
 DOCUMENT NUMBER: 6:461  
 ORIGINAL REFERENCE NO.: 6:79g-i,80a-d  
 TITLE: Chrysophanic Acid, Frangula Emodin and some Oxonlum, Compounds of Anthracene Derivatives. IX  
 AUTHOR(S): Fischer, O.; Gross, H.  
 CORPORATE SOURCE: Chem. Lab., Univ. Erlangen  
 SOURCE: Journal fuer Praktische Chemie (Leipzig) (1912), 84, 369-82  
 CODEN: JPCEAO; ISSN: 0021-8383  
 DOCUMENT TYPE: Journal  
 LANGUAGE: Unavailable

AB cf. C. A., 5, 2649 In the prepare of chrysophanic acid from chrysarobin, the demethylation of the com. product by HI need not be carried out under pressure; it is much more easily effected by passing an excess of gaseous HI through a b. glacial AcOH solution of the substance. Another method of prepare consists in oxidizing the crude chrysarobin and separating the mixture

of

chrysophanic add and methylemodin either by demethylating with cone. HCl in glacial AcOH under, pressure and treating with Na2CO3, or by completely methylating with Me2SO4 and crystallizing from AcOEt. Dibenzoylchrysophanic acid, from chrysophanic acid in pyridine and BZCl, m. 212°, is oxidized by CrO3 in glacial AcOH and Ac2O to dibenzoylrhein, yellow prisms grouped in Stars, m. 253-5°, which is hydrolyzed by alc. KOH to rhein, m. 321°. Heated on the H2O bath 3-5 hrs. with 15 pts. NH2 under 50 mm, chrysophanic acid yields a compound C13H11O3N, spherical clusters of needles, assuming a bronze luster on drying, soluble with reddish violet color in alks. and NH2 with orange color in conc. H2SO4 and gradually passing back into chrysophanic acid when b. with 20% NaOH. The compound must therefore be an imide, as originally assumed by Lieberman and Fischer, and not an amino compound (Oesterle and Johann, C. A., 5, 481). Triacetyl. eraodin is oxidized by CrO2 in glacial AcOH and Ac2O to triacetylemodinic acid, C21H14O10, needles, grouped in

stars; alkaline KOH hydrolyzes it to emodinic acid (trihydroxy- $\beta$ -anthraquinonecarboxylic acid), orange-yellow needles, evolves red vapors 340-50° decamp. completely 360°, easily soluble in alks. with reddish violet color, in cone. H<sub>2</sub>SO<sub>4</sub> with yellowish eosin color, forms a violet lack with Ba(OH)<sub>2</sub>, very stable, being practically unchanged by heating at 190° with cone. HCl and glacial AcOH. Neither anthracene, methyl- or chloroanthracenes, anthraquinone, the 2 methylanthraquinones, dimethyl- or diethylhydroanthraquinones gave oxonium salts with concentrate HBr or (6-70% HClO<sub>4</sub>; hydroxyanthraquinones form yellowish red to red solns. but even rufigallic acid yielded no salt which could be isolated. The Me and Et ethers of hydroxyanthraquinones, however, did give such salts under certain conditions. Hexamethylrufigaltic acid, C<sub>20</sub>H<sub>20</sub>O<sub>8</sub>, from the K salt and Me<sub>2</sub>SO<sub>4</sub> at 120°, light yellow needles, m. 240°. Trimethylemodin in CHCl<sub>3</sub> gives with dry HBr the oxonium salt C<sub>18</sub>H<sub>17</sub>O<sub>8</sub>Br, red precipitate, loses HBr overnight in a desiccator. The zinc bromide double salt, C<sub>18</sub>H<sub>17</sub>O<sub>8</sub>-Br<sub>3</sub>Zn, red crystals, is somewhat more stable. Perchlorate, C<sub>18</sub>H<sub>17</sub>O<sub>8</sub>Cl, scarlet-red crystalline powder. Dimethylchrysophanic acid bromide, scarlet flocks, stable only under the liquid from which it is precipitated; zinc bromide salt, C<sub>17</sub>H<sub>18</sub>O<sub>4</sub>Br<sub>3</sub>Zn, cinnabar-red flocks. 1,8-Dimethoxyanthraquinone bromide, scarlet flocks; zinc bromide salt, C<sub>16</sub>H<sub>18</sub>O<sub>4</sub>Br<sub>3</sub>Zn. The corresponding chlorides and ZnCl<sub>2</sub> salts can be similarly prepared, but they are even more unstable than the bromides.

=> FIL STNGUIDE  
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION

FULL ESTIMATED COST

13.00	21.10
-------	-------

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION

CA SUBSCRIBER PRICE

-3.28	-3.28
-------	-------

FILE 'STNGUIDE' ENTERED AT 14:50:44 ON 17 JUN 2009  
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT  
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.  
LAST RELOADED: Jun 12, 2009 (20090612/UP).

=>